

FOE20T' 5655400f

TRANSDERMAL DELIVERY SYSTEM

OF EXAMPLE 1

IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN

RECEPTOR: ETHANOL/WATER (40/60)




FIG. 1

FOE201"56554001

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLE 1
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 2

FOE20T 565400T

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 2 AND 4
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 3

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 2 AND 4
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 4

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 3 AND 5
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 5

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 3 AND 5
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 6

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLE 6

IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 7

FOE207" S6554007

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLE 6
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/40)




FIG. 8

TOP SECRET 565400T

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 7, 8, AND 9
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 9

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 7, 8 AND 9
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 10

FOE20T" 5655h00T

TRANSDERMAL DELIVERY SYSTEM

IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




Figure 11

FOE20F 5655400T

TRANSDERMAL DELIVERY SYSTEM
FORMULATIONS
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




Figure 12
MAY 19

PROJECT "S655400"

TRANSDERMAL DELIVERY SYSTEM
FORMULATION
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




Figure 13

FOE20T" S655400T

TRANSDERMAL DELIVERY SYSTEM
FORMULATION
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




Figure 14

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLE 13
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 15

FIG. 16

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLE 13
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 16